EN




Depollution *equipment*

Dismantling *equipment*

Storage *equipment*

IBQ **WITH FIXED LIFT**



IBE **WITH MOBILE LIFT**



IBC **COMPACT**



IRIS-MEC Srl
Via Grande, 25 - 42028 Poviglio (Re) - Italy
sales@iris-mec.it
+39 0522.481047
www.iris-mec.com

FLUID DRAINAGE



IBP VS



ISQ



ISK ISE



ISM



IST

ISC



MOBILE



Mobile drainage system
Everything you need for the ELVs drainage in a small space. Ready-to-use, perfect for outdoor car recyclers.

	Liquids	Oils (H, L)	N°	Fuels	N°	N°	Supply - bar (min > max)	Flow rate - gal / m (max)	★	
IBP			2		7 > 8	7 > 9	7 > 12	330	4.0	STD, V, VS
ISQ			1		6 > 8	6 > 9	7 > 12	330		STD, V, VS
ISK / ISE			-	-	4 / 5	4 / 5	7 > 12	220		STD
ISM			-		4	4	7 > 12	220		
IST			-		5 > 8	6 > 9	7 > 12	330		V

Coolant — Windshield wiper fluid — Hydraulic oils (H): Shock-absorber, brake, power steering, transmission — Lubricating oils (L): gearbox, differential, engine

FUEL RECOVERY



PFT MONO



PFT STD



PFT V



PFT VS

	N°	N°	N°	★
PFT MONO	1		2	-
PFT STD	2		2	-
PFT V	2		2	
PFT VS	1		2	
CCB / CCG / CCU	Opt.	1	1	-



48 IMP GAL

CCB



48 IMP GAL

CCG



48 IMP GAL

CCU

SGR
Residual **LPG and Methane** tanks recovery unit. Complies with EC directives.



LPG

METHANE



Liquids — Oils — Petrol — Diesel — Waste — Fluid drainage — Fuel recovery — Visual module — Gas — Storage output

EXTRA



BAG



Airbag Neutralisers

BAG-RC

Air conditioning recovery



RGF


AUTOMATIC



RFB2

VEHICLE POSITIONING AND LIFTING

Lifts for ELV depollution



PMC30



PM35



CRE EC

PMF



CRL EC

VEHICLE DISMANTLING LIFTS



RBT



PRT



CDR RC

	★	Lbs	MAX in	in	Sec	Sec	rpm	°	in	
PMC30	↕	6614	77.9"	60.2"	↑34" / 17"↓	-	-	-	275.6" x 157.5" x h. 196.8"	STD, BF
PM35	↕	7716	78.9"	45.3"	↑34" / 15"↓	-	-	-	275.6" x 157.5" x h. 196.8"	STD, BF
PRT	↕ ↷	6614	73.6"	64.4"	↑32" / 17"↓	↑25"/ 17"↓	-	90°	275.6" x 216.5" x h. 196.8"	STD, BF
RBT	↷	6614	-	-	-	↑36"/ 32"↓	-	90°	275.6" x 216.5" x h. 196.8"	STD, BF
CDR RC	↻ ↷	6614	-	54.7" > 92.1"	-	↑20"/ 20"↓	2	90°	315" x 236.2"	-
PMF	-	6614	75.2"	-	-	-	-	-	-	-

Compressed air requirement · Remote control · Traceability · Fluids weighing · Fuel distribution · Level detector · Work area · Highlights · Available configurations

DISMANTLING


CNT-V



CNC-V







TVP





STORAGE



SR



SG03



TRT



SBG

KSL 5



CSM

ELECTRIC VEHICLE RECYCLING

PVE



CCR





EV battery diagnostic kit

CTN-EV




CSB



COB







IRIS-MEC Srl
Via Grande, 25 - 42028 Poviglio (Re) - Italy
sales@iris-mec.it
+39 0522.481047
www.iris-mec.com